

Engl.

Arntjen® Germany

Arntjen assortment



Arntjen Stabling

the smart control for dairy cow barns -
with various sensor systems, e.g. temperature, rain, wind, humidity,
control of curtains, fans, lighting and much more.

NEW!

with our own technology
in cooperation with farmers around the globe!



Arntjen Curtain-Systems



Arntjen Doors



Arntjen Lighting Ridges




Arntjen-LED-LIGHT



Oversized Fans 7m



Comfort Beds



Arntjen Throughs



Calf Hutches



Arntjen Stabling



Slurry Mixers



Scraper Systems



Arntjen Germany

GmbH

D-26180 Rastede

Tel: (0 44 02) - 92 40 0

Fax: (0 44 02) - 92 40 92

E-Mail:
Internet:

info@arntjen.com
www.arntjen.com

The new world
in dairy farming



Arntjen

Agrarbautechnik
agro-constructions

Arntjen Germany

GmbH

D-26180 Rastede

Tel: +49 (0) 4402 - 9240 - 0

Fax: +49 (0) 4402 - 9240 - 92

E-mail: info@arntjen.com

Internet: www.arntjen.com



Curtain: opens from top to bottom



ISO Lift-Windows



Curtain Dual: opens top/bottom, shadow effect




Fold up Door



Ventilation/lighting ridge



Ridge with Air flaps



ISO-Lighting ridge M4 (DBGM) Type Germany



Parlour Fan

Arntjen Barn Equipment



the frame are adjusted to exactly fit the animal's belly, this would not make much sense in a low box. This is because the cow will lie higher or lower depending on the condition of the bedding. The neck rail is used for limiting the cows frontal movements when entering and exiting the cubicle. However, in almost all box systems it also stabilizes the frame to withstand lateral pressure. The higher the position of the neck rail is set the less stress the cow will endure when standing up. While moving the neck rail further to the front will reduce stress, it will also contribute to the contamination of the box. This is why, today, a strut is used to provide an additional barrier at the front. It should always protrude 15-20 cm from the bedding. The size of the resting area depends, of course, on the size of the cows. A length of 1.75 m to 1.80 m measured up to the strut has proven to be ideal. The recommended width of the box ranges from 1.15 m to 1.20 m (center-to-center dimension of the frame). The overall depth of a box must not be lower than 2.60 m and at least 2 x 2.30 m in front of the wall and in the double row, respectively.


The fastening systems

There are some frame systems which already come with an integrated base that can be pegged on while others need to be screwed to a mounting system.




Mounting on the supporting pipe

While requiring slightly more material, this system makes it possible to adjust the width of the box later on.



Mounting on the upright pipe


With this type of installation each individual frame is mounted to its own upright pipe. Since no supporting pipes are required, this fastening system saves material and gives the cows more head clearance. However, lateral adjustments will no longer be possible especially if the upright pipes are embedded in concrete.



Mounting using brackets


The third option we offer are special brackets which help save material and provide the animals with plenty of room for swinging their heads when standing up.

Freestalls - different types and their dimensions




Type Holstein 2000

- Designed for high-beds.
- Loop exactly formed to fit lying cow.




Type US-Farm

- Designed for deep-beds, as well as for high-beds.
- Designed to stabilize the cow, even if she lays deeper.



Type Schleswig

- High neck rail gives large cows plenty of room to move and rise up and down easily.
- Suitable for deep- and high-beds.
- Very large space for the head.



Type Friesland

- Like Schleswig, but extra high neck rail, special for large Holstein Frisians!



Loop length for double rows size?

Double row : → loop length:

420 - 430 cm	→ 184-er + 184-er
430 - 440 cm	→ 184-er + 200-er
450 - 460 cm	→ 200-er + 200-er
470 - 480 cm	→ 210-er + 210-er
490 - 500 cm	→ 220-er + 220-er
510 - 520 cm	→ 230-er + 230-er



Stalls are hot dipped galvanized according to DIN EN ISO 1461

I. Attached right to 2" post or to 2,5" post





Freestalls mounting systems



II. Attached to 2 horizontal front rails




III. Attached to central tube holder with foot plate



IV. Attached on concrete base



components	description	ord-no.
Extra wide "LB" Neck rail	Extra wide "LB" Neck rail	
	Extra wide "LB" neck rail 1.5", 2 places with a width of 110 cm each	s6012
	Extra wide "LB" neck rail 1.5", 2 places with a width of 115 cm each	s6013
	Extra wide "LB" neck rail 1.5", 2 places with a width of 120 cm each	s6014
	Extra wide "LB" neck rail 1.5", 2 places with a width of 125 cm each	s6015
	Start pipe "LB" 1.5" 50 cm for all place widths	s6085
	Tube end bracket for 1.5"	00728
	Tube end bracket for 1.5" with long holder 40 cm	07280
	Pan head screw galv. 10x60 with hexagon socket mounting	07524
	Lock nut 10 mm	00888
	Tube clamp extended 1,5"x2" with intermediate plate (in the tubular cross-strutting)	s6016



The extra wide "LB" neck rail affords the animals more room to move. While offering them plenty of room, the rail still keeps the cows in the proper position, ensuring that they do not bother their neighbors and keeping them cleaner.

Benefits: Improved quiet and cleanliness in the barn.

It easily accommodates today's animals, which keep growing in size, and guides them into a straight and upright position. Their designated position is the most suitable position for them to lie down.

The extra wide "LB" neck rail makes it possible to extend the neck rail height by up to 30 cm.



The extra wide "LB" neck rail can be folded down diagonally towards the front. This allows for the neck rail clamps to be moved back, resulting in an increase in stability.





components	description	ord-No.
I. Freestalls at post		
	Freestalls type Holstein 2000 Single row (freestall divider incl. T-clamps)	
	Length 220 cm..... cows s0581	
	Length 210 cm..... cows s0582	
	Length 200 cm..... cows s0533	
	Length 184 cm..... cows s0537	
	Length 169 cm....heifers (12 -22 mon.) s0567	
	Freestalls type Holstein 2000 Double row (2 freestall dividers incl. 4-way-clamps)	
	Length 220 cm..... cows s0583	
	Length 210 cm..... cows s0584	
	Length 200 cm..... cows s0539	
	Length 184 cm..... cows s0538	
	Length 169 cm....heifers (12 -22 mon.) s0568	
II. Freestalls at horizontal rail		
	I. Accessories for post:	
	Tube clamp, longer 1½" x 2" s0541	
	Brisket board bracket at 2" s2003	
	Post 2" x 140 cm 00755	
	PVC sleeve 2" 00732	
	PVC stopper 2" 07196	
	Post with plate 2" x 120 cm 00747	
	Floor anchor (see mounting accessories)	
	Tube 1½" (6 m long) by meter 00788	
	Tube coupling clamp 1½" s0558	
	Tube end bracket 1½" 00728	
	II. Accessories for horizontal rail:	
	Tube clamp, longer 1½" x 2" s0541	
	Brisket board bracket at 2" s2003	
	Post 2½" x 140 cm 00752	
	PVC sleeve 2½" 00734	
	PVC stopper 2½" 07197	
	Post with plate 2½" x 120cm 00749	
	Floor anchor (see mounting accessories)	
	Tube clamp 2½" x 2" s0543	
	Tube 1½" (6 m long) by meter 00788	
	Tube coupling clamp 1½" s0558	
	Tube end bracket 1½" 00728	
	Tube 2" (6 m long) by meter 00784	
	Tube coupling clamp 2" s0559	
	Tube end bracket 2" 00729	
	Bracer tube, see 9. sheet 16	
	Longer posts and sleeve for deep beds see accessories 9. sheet 18	
	Attachment to 2,5" post on request	
	Cubicle partitions, hot-dip galvanized in accordance with DIN EN ISO 1461 (former standard DIN 50976)	

components

I. Freestalls at post



II. Freestalls at horizontal rail



description

ord-
No.

Freestalls

type US-Farm 2003

Freestalls type US-Farm
Single row
(freestall divider incl. T-clamps)

Length 230 cm..... cows	s0881
Length 220 cm..... cows	s0573
Length 210 cm..... cows	s0572
Length 200 cm..... cows	s0571
Length 184 cm..... cows	s0570
Length 170 cm....heifers (12 -22 mon.)	s0569

Freestalls type US-Farm
Double row (2 freestall dividers incl.
4-way-clamps)

Length 230 cm..... cows	s0882
Length 220 cm..... cows	s0578
Length 210 cm..... cows	s0577
Length 200 cm..... cows	s0576
Length 184 cm..... cows	s0575
Length 170 cm....heifers (12 -22 mon.)	s0574

I. Accessories for post:

Tube clamp, longer 1½" x 2"	s0541
Brisket board bracket at 2"	s2003
Post 2" x 140 cm	00755
PVC sleeve 2"	00732
PVC stopper 2"	07196
Post with plate 2" x 120 cm	00747
Floor anchor (see mounting accessories)	
Tube 1½" (6 m long) by meter	00788
Tube coupling clamp 1½"	s0558
Tube end bracket 1½"	00728

II. Accessories for horizontal rail:

Tube clamp, longer 1½" x 2"	s0541
Brisket board bracket at 2"	s2003
Post 2½" x 140 cm	00752
PVC sleeve 2½"	00734
PVC stopper 2½"	07197
Post with plate 2½" x 120cm	00749
Floor anchor (see mounting accessories)	
Tube clamp 2½" x 2"	s0543
Tube 1½" (6 m long) by meter	00788
Tube coupling clamp 1½"	s0558
Tube end bracket 1½"	00728
Tube 2" (6 m long) by meter	00784
Tube coupling clamp 2"	s0559
Tube end bracket 2"	00729

Bracer tube,
see 9. sheet 16


Longer posts and sleeve for deep beds
see accessories 9. sheet 18

Attachment to 2,5" post on request


Cubicle partitions, hot-dip galvanized in
accordance with DIN EN ISO 1461
(former standard DIN 50976)

components


III. Freestalls with central tube holder



IV. Freestalls on concrete base



V. Freestalls at wall



description

ord-
No.

Freestalls type US-Farm 2003

Freestalls type US-Farm Single row (freestall divider only)

Length 230 cm.....cows	05407
Length 220 cm.....cows	00702
Length 210 cm.....cows	00701
Length 200 cm.....cows	00700
Length 184 cm.....cows	00699
Length 170 cm.....heifers (12-22 mon.)	00698

Freestalls type US-Farm Double row (2 freestall dividers only)

Length 230 cm.....cows	s0885
Length 220 cm.....cows	s0723
Length 210 cm.....cows	s0724
Length 200 cm.....cows	s0725
Length 184 cm.....cows	s0726
Length 170 cm.....heifers (12-22 mon.)	s0727

III. Accessories with central tube holder:

for single row	
Central tube holder 2" with foot plate (high box)	s6068
Central tube holder 2" with foot plate (low box)	s6069
for double row	
Central tube holder 2", "top"	s0717
Central tube holder 2" with foot plate (high box)	s0718
Central tube holder 2" with foot plate (low box)	s0990
Tube clamp longer 1½" x 2"	s0541
Tube clamp 1½" x 2"	s0542
Brisket board bracket at 2" tube	s2003
Tube 1½" (length 6 m) by meter	00788
Tube coupling clamp 1½"	s0558
Tube end bracket 1½"	00728
Floor anchor (see mounting accessories)	

IV. Accessories on concrete base:

Central tube holder 2", "top"	s0717
Strap clamp 2" long (for single row)	s0896
Strap clamp 2" long (for double row)	s0891
Tube clamp longer 1½" x 2"	s0541
Tube clamp 1½" x 2"	s0542
Tube 1½" (length 6 m) by meter	00788
Tube coupling clamp 1½"	s0558
Tube end bracket 1½"	00728
Floor anchor (see mounting accessories)	

V. Accessories (at wall):

Mounting set with Tube end bracket „heavy“	set
	s0800




Bracer tube, see 9. sheet 16

Cubicle partitions, hot-dip galvanized in accordance with DIN EN ISO 1461 (former standard DIN 50976)


components	description	ord-No.
I. Freestalls at post	Freestalls type US-Farm/HF Freestalls type US-Farm/HF Single row (freestall divider including T-clamps) Length 230 cm..... cows Length 220 cm..... cows Length 210 cm..... cows Length 200 cm..... cows	
	Freestalls type US-Farm/HF Double row (2 freestall dividers incl. 4-way-clamps) Length 230 cm..... cows Length 220 cm..... cows Length 210 cm..... cows Length 200 cm..... cows	
II. Freestalls at horizontal rail	I. Accessories for post: Tube clamp, longer 1½" x 2" s0541 Brisket board bracket at 2" s2003 Post 2" x 160 cm 01694 PVC sleeve 2" 00732 PVC stopper 2" 07196 Post with plate 2" x 140 cm 00748 Floor anchor (see mounting accessories) Tube 1½" (length 6 m) per m 00788 Tube coupling clamp 1½" s0558 Tube end bracket for 1½" 00728 II. Accessories for horizontal rail: Tube clamp, longer 1½" x 2" s0541 Brisket board bracket at 2" s2003 Post 2½" x 160 cm 00753 PVC sleeve 2½" 00734 PVC stopper 2½" 07197 Post with plate 2½" x 130 cm 01435 Floor anchor (see mounting accessories) Tube clamp 2½" x 2" s0543 Tube 1½" (length 6 m) per m 00788 Tube coupling clamp 1½" s0558 Tube end bracket for 1½" 00728 Tube 2" (length 6 m) per m 00784 Tube coupling clamp 2" s0559 Tube end bracket for 2" 00729 	
	Bracer tube, see 9. sheet 16 Attachment to 2.5" post on request. See accessories on 9. sheet 18 for longer posts and sleeve designed for low boxes. Cubicle partitions, hot-dip galvanized in accordance with DIN EN ISO 1461 (former standard DIN 50976).	

components


III. Freestalls with central tube holder



IV. Freestalls on concrete base



V. Freestalls at wall



description

ord-
No.

Freestalls

type US-Farm/HF

Freestalls type US-Farm/HF

Single row (freestall divider only)

Length 230 cm..... cows	07031
Length 220 cm..... cows	07032
Length 210 cm..... cows	07033
Length 200 cm..... cows	07034

Freestalls type US-Farm/HF

Double row (2 freestall dividers only)

Length 230 cm..... cows	s0972
Length 220 cm..... cows	s0973
Length 210 cm..... cows	s0974
Length 200 cm..... cows	s0975

III. Accessories with central tube holder:

for single row

Central tube holder 2" with foot plate (high box)	s6068
Central tube holder 2" with foot plate (low box)	s6069

for double row

Central tube holder 2", "top"	s0717
Central tube holder 2" with foot plate (high box)	s0718
Central tube holder 2" with foot plate (low box)	s0990

Tube clamp, longer 1½" x 2"

Tube clamp, longer 1½" x 2"	s0541
Tube clamp, 1½" x 2"	s0542

Brisket board bracket at 2"

Brisket board bracket at 2"	s2003
Tube 1½" (length 6 m)	per m 00788

Tube coupling clamp 1½"

Tube coupling clamp 1½"	s0558
Tube end bracket for 1½"	00728

Floor anchor (see mounting accessories)

IV. Accessories on concrete base:

Central tube holder 2", "top"

Central tube holder 2", "top"	s0717
Strap clamp 2" long (for single row)	s0896

Strap clamp 2" long (for double row)	s0891
Tube clamp, longer 1½" x 2"	s0541

Tube clamp 1½" x 2"	s0542
Tube 1½" (length 6 m)	per m 00788

Tube coupling clamp 1½"	s0558
Tube end bracket for 1½"	00728

Floor anchor (see mounting accessories)

V. Accessories (at wall):


Mounting set with Tube end bracket "heavy"

Mounting set with Tube end bracket "heavy"	set	s0800
--	-----	-------




Bracer tube,
see 9. sheet 16

Cubicle partitions, hot-dip galvanized in accordance with DIN EN ISO 1461 (former standard DIN 50976).


components	description	ord-No.
Freestalls type US-Farm-swing	Freestalls type US-Farm-swing for single row high box double row high box single row low box double row low box	
<ul style="list-style-type: none"> The cubicle partition US-Farm-swing can be used as a frame on high and low boxes. The neck rail has an elastic, cushioning effect. These cubicles afford the cows a maximum amount of clearance, especially in the area of the head. The frames assure excellent guidance on the sides. Movement at the front is restricted by the neck rail and the containment pipe or a strut at the top and the bottom, respectively. 	Freestalls Type US-Farm-swing , length 215 cm Strap clamp 2" , 150 mm (for fastening on the boxes, single row) Strap clamp 2" , 400 mm (for fastening on the boxes, double row) T-clamp two-part, "heavy" (A=2" / B=1.5") Tube 1½" (lengths of 6 m each) per m Tube coupling clamp 1½" Tube end bracket for 1½"	06523 s0896 s0891 s0895 00788 s0558 00728
  <p>Type: US-Farm-swing</p>	Freestalls Type US-Farm-swing with head tube , length 215 cm Strap clamp 2" , 150 mm (for fastening on the boxes, single row) Strap clamp 2" , 400 mm (for fastening on the boxes, double row) Tube clamp , longer 1½" x 2" T-clamp two-part, "heavy" (A=2" / B=1.5") Tube 1½" (lengths of 6 m each) per m Tube coupling clamp 1½" Tube end bracket for 1½"	06931 s0896 s0891 s0541 s0895 00788 s0558 00728
 <p>Type: US-Farm-swing with head tube</p>	 <p>Bracer tube and Brisket board bracket, see 9. sheet 16</p> <p>Floor anchor, see 9. sheet 17</p> <p>Cubicle partitions, hot-dip galvanized in accordance with DIN EN ISO 1461 (former standard DIN 50976).</p>	8. Calf hutch 7. Cow brush 6. Waterers 5. Beddings 4. Fans 3. Ridges/Lights 2. Doors 1. Curtains

components

I. Freestalls at post



II. Freestalls at horizontal rail



description

ord-
No.

Freestalls type Schleswig 2004

Freestalls type Schleswig
Single row
(freestall divider incl. T-clamps)

Length 230 cm..... cows	s0879
Length 220 cm..... cows	s0755
Length 210 cm..... cows	s0754
Length 200 cm..... cows	s0753
Length 184 cm..... cows	s0752

Freestalls type Schleswig
Double row (2 freestall dividers incl.
4-way-clamps)


Length 230 cm..... cows	s0880
Length 220 cm..... cows	s0759
Length 210 cm..... cows	s0758
Length 200 cm..... cows	s0757
Length 184 cm..... cows	s0756

I. Accessories for post:

Tube clamp, longer 1 1/2" x 2"	s0541
Brisket board bracket at 2"	s2003
Post 2" x 160 cm	01694
PVC sleeve 2"	00732
PVC stopper 2"	07196
Post with plate 2" x 140 cm	00748
Floor anchor (see accessories)	
Tube 1 1/2" (6 m long) by meter	00788
Tube coupling clamp 1 1/2"	s0558
Tube end bracket 1 1/2"	00728

II. Accessories for horizontal rail:

Tube clamp, longer 1 1/2" x 2"	s0541
Brisket board bracket at 2"	s2003
Post 2 1/2" x 160 cm	00753
PVC sleeve 2 1/2"	00734
PVC stopper 2 1/2"	07197
Post with plate 2 1/2" x 130cm	01435
Floor anchor (see accessories)	
Tube clamp 2 1/2" x 2"	s0543
Tube 1 1/2" (6 m long) by meter	00788
Tube coupling clamp 1 1/2"	s0558
Tube end bracket 1 1/2"	00728
Tube 2" (6 m long) by meter	00784
Tube coupling clamp 2"	s0559
Tube end bracket 2"	00729




Longer posts and sleeve for deep beds
see accessories 9. sheet 18

Attachment to 2,5" post on request


Cubicle partitions, hot-dip galvanized in
accordance with DIN EN ISO 1461
(former standard DIN 50976)

components


III. Freestalls with central tube holder



IV. Freestalls on concrete base



V. Freestalls at wall



description

ord-
No.

Freestalls type Schleswig 2004

Freestalls type Schleswig
Single row
(freestall divider only)

Length 230 cm.....cows	04257
Length 220 cm.....cows	03267
Length 210 cm.....cows	03266
Length 200 cm.....cows	03265
Length 184 cm.....cows	03264

Freestalls type Schleswig Double row (2 freestall dividers only)

Length 230 cm.....cows	s0884
Length 220 cm.....cows	s0719
Length 210 cm.....cows	s0720
Length 200 cm.....cows	s0721
Length 184 cm.....cows	s0722

III. Accessories with central tube holder:

for single row

Central tube holder 2" with foot plate (high box)	s6068
Central tube holder 2" with foot plate (low box)	s6069

for double row

Central tube holder 2", "top"	s0717
Central tube holder 2" with foot plate (high box)	s0718
Central tube holder 2" with foot plate (low box)	s0990

Tube clamp, longer 1 1/2" x 2"

Tube clamp 1 1/2" x 2"	s0542
------------------------	-------

Brisket board bracket for 2" tube

Tube 1 1/2" (Length 6 m)	by meter	00788
--------------------------	----------	-------

Tube coupling clamp 1 1/2"

Tube end bracket 1 1/2"	00728
-------------------------	-------

Floor anchor (see mounting accessories)

IV. Accessories on concrete base:

Central tube holder 2", "top"

Strap clamp 2" long (for single row)	s0896
--------------------------------------	-------

Strap clamp 2" long (for double row)

Tube clamp, longer 1 1/2" x 2"	s0541
--------------------------------	-------

Tube clamp 1 1/2" x 2"

Tube 1 1/2" (Length 6 m)	by meter	00788
--------------------------	----------	-------

Tube coupling clamp 1 1/2"

Tube end bracket 1 1/2"	00728
-------------------------	-------

Floor anchor (see mounting accessories)

V. Accessories (at wall)

Mounting set with Tube end bracket
„heavy“ set

s0800


Bracer tube, see 9. sheet 16

Cubicle partitions, hot-dip galvanized in
accordance with DIN EN ISO 1461
(former standard DIN 50976)


components

I. Freestalls at post

(Mounting height +/- 135 cm Friesland)



II. Freestalls at horizontal rail



description

ord-
No.

Freestalls

type Friesland 2007

Freestalls type Friesland
Single row
(freestall divider incl. T-clamps)

Length 230 cm..... cows	s0877
Length 220 cm..... cows	s0809
Length 210 cm..... cows	s0810
Length 200 cm..... cows	s0811
Length 184 cm..... cows	s0812

Freestalls type Friesland
Double row (2 freestall dividers incl.
4-way-clamps)

Length 230 cm..... cows	s0878
Length 220 cm..... cows	s0813
Length 210 cm..... cows	s0814
Length 200 cm..... cows	s0815
Length 184 cm..... cows	s0816

I. Accessories for post:

Tube clamp, longer 1 1/2" x 2"	s0541
Brisket board bracket at 2"	s2003
Post 2" x 160 cm	01694
PVC sleeve 2"	00732
PVC stopper 2"	07196
Post with plate 2" x 140 cm	00748
Floor anchor (see accessories)	
Tube 1 1/2" (6 m long) by meter	00788
Tube coupling clamp 1 1/2"	s0558
Tube end bracket 1 1/2"	00728

II. Accessories for horizontal rail:

Tube clamp, longer 1 1/2" x 2"	s0541
Brisket board bracket at 2"	s2003
Post 2 1/2" x 160 cm	00753
PVC sleeve 2 1/2"	00734
PVC stopper 2 1/2"	07197
Post with plate 2 1/2" x 145cm	00750
Floor anchor (see accessories)	
Tube clamp 2 1/2" x 2"	s0543
Tube 1 1/2" (6 m long) by meter	00788
Tube coupling clamp 1 1/2"	s0558
Tube end bracket 1 1/2"	00728
Tube 2" (6 m long) by meter	00784
Tube coupling clamp 2"	s0559
Tube end bracket 2"	00729

Bracer tube, see 9. sheet 16




Longer posts and sleeve for
deep beds see accessories 9. sheet 18

Attachment to 2,5" post on request


Cubicle partitions, hot-dip galvanized in
accordance with DIN EN ISO 1461
(former standard DIN 50976)

components


III. Freestalls with central tube holder (Mounting height +/- 135 cm Friesland)



IV. Freestalls on concrete base



V. Freestalls at wall



description

ord-
No.

Freestalls type Friesland 2007

Freestalls type Friesland Single row (freestall divider only)

Length 230 cm.....cows	04256
Length 220 cm.....cows	04253
Length 210 cm.....cows	04252
Length 200 cm.....cows	04251
Length 184 cm.....cows	04250

Freestalls type Friesland Double row (2 freestall dividers only)

Length 230 cm.....cows	s0883
Length 220 cm.....cows	s0817
Length 210 cm.....cows	s0818
Length 200 cm.....cows	s0819
Length 184 cm.....cows	s0820

III. Accessories with central tube holder:

for single row	
Central tube holder 2" with foot plate (high box)	s6068
Central tube holder 2" with foot plate (low box)	s6069
for double row	
Central tube holder 2", "top"	s0717
Central tube holder 2" with foot plate (high box)	s0718
Central tube holder 2" with foot plate (low box)	s0990
Tube clamp, longer 1½" x 2"	s0541
Tube clamp 1½" x 2"	s0542
Brisket board bracket for 2" tube	s2003
Tube 1½" (Length 6 m) by meter	00788
Tube coupling clamp 1½"	s0558
Tube end bracket 1½"	00728
Floor anchor (see mounting accessories)	

IV. Accessories on concrete base:

Central tube holder 2", "top"	s0717
Strap clamp 2" long (for single row)	s0896
Strap clamp 2" long (for double row)	s0891
Tube clamp, longer 1½" x 2"	s0541
Tube clamp 1½" x 2"	s0542
Tube 1½" (Length 6 m) by meter	00788
Tube coupling clamp 1½"	s0558
Tube end bracket 1½"	00728
Floor anchor (see mounting accessories)	



V. Accessories (at wall)

Mounting set with Tube end bracket "heavy"	set
	s0800

Bracer tube, see 9. sheet 16



Cubicle partitions, hot-dip galvanized in accordance with DIN EN ISO 1461 (former standard DIN 50976)

components	description	ord-No.				
I. Freestalls at post						
	I. Freestalls at post					
	Freestalls type Holstein 1000					
	Single row (freestall divider incl. T-clamps)					
	Length 115 cm.....calf (½-2 mon.)	s0534				
	Length 135 cm.....calf (2-6 mon.)	s0535				
	Length 160 cm young stock (6-12mon.)	s0536				
	Freestalls type Holstein 1000					
	Double row (2 freestall dividers incl. 4-way-clamps)					
	Length 115 cm.....calf (½-2 mon.)	s0585				
	Length 135 cm.....calf (2-6 Mon.)	s0586				
	Length 160 cm young stock (6-12mon.)	s0587				
	For 115 and 135 freestalls					
	I. Accessories for post:					
	Wire clamp 1½" x 1½"	s0548				
	Brisket board bracket at 1½"	s2005				
	Post 1½" x 120 cm	02090				
	PVC sleeve 1½"	00730				
	PVC stopper 1½"	07195				
	Post with plate 1½" x 100cm	02091				
	Floor anchor (see accessories)					
	Tube 1½" (6 m long) by meter	00788				
	Tube coupling, 2-part 1½"	s0546				
	Tube end bracket 1½"	00728				
	For 160 freestalls					
	I. Accessories for post:					
	Tube clamp 1½" x 1½"	s0550				
	Brisket board bracket at 1½"	s2005				
	Post 1½" x 120 cm	02090				
	PVC sleeve 1½"	00730				
	PVC stopper 1½"	07195				
	Post with plate 1½" x 100cm	02091				
	Floor anchor (see accessories)					
	Tube 1½" (6 m long) by meter	00788				
	Tube coupling clamp 1½"	s0558				
	Tube end bracket 1½"	00728				
Dimensions of dairy cattle cubicles	Cubicle partitions, hot-dip galvanized in accordance with DIN EN ISO 1461 (former standard DIN 50976)					
Species Age (months)	Weight (kg)	Cubicle width (cm)	Frame length (cm)	Cubicle length - single row (cm)	Cubicle length - double row (cm)	Neck rail height (cm)
Calves 0.5-2	~50-90	50-60	115	140	260-270	72
Calves 2-6	~90-200	60-70	135	165	300-310	76
Young cattle 6-10	~200-350	80-90	160	200	350-360	93
Heifers 10-18	~350-450	95-105	169	220	390-400	111
Heifers 18-22	~450-550	105-115	184	235	420-430	120
Large livestock 22 or more	~550-750	115-125	200-230	260-290	450-520	120-135

Suggested measurements only.


Dimensions may vary due to structures and animal breed.

components

description

ord-
No.

II. Freestalls at horizontal rail



II. Freestalls at horizontal rail adjustable

Freestalls type Holstein 1000

Single row

(freestall divider incl. T-clamps)

Length 115 cm....calf (½-2 mon.)

s0534

Length 135 cm....calf (2-6 Mon.)

s0535

Length 160 cm young stock (6-12mon.)

s0536

Freestalls type Holstein 1000
Double row (2 freestall dividers incl.
4-way-clamps)

Length 115 cm....calf (½-2 mon.)

s0585

Length 135 cm....calf (2-6 mon.)

s0586

Length 160 cm young stock (6-12mon.)

s0587

For 115 and 135 freestalls
II. Accessories for horizontal rail:

Wire clamp 1½" x 1½"

s0548

Brisket board bracket at 1½"

s2005

Post 2" x 140 cm

00755

PVC sleeve 2"

00732

PVC stopper 2"

07196

Post with plate 2" x 120 cm

00747

Floor anchor (see accessories)

Wire clamp 1½" x 2"

s0549

Tube 1½" (6 m long) by meter

00788

Tube coupling, 2-part 1½"

s0546

Tube end bracket 1½"

00728

For 160 freestalls
II. Accessories for horizontal rail:

Tube clamp 1½" x 1½"

s0550

Brisket board bracket at 1½"

s2005

Post 2" x 140 cm

00755

PVC sleeve 2"

00732

PVC stopper 2"

07196

Post with plate 2" x 120cm

00747

Floor anchor (see accessories)

Cross clamp 1½" x 2"

s0561

Tube 1½" (6 m long) by meter

00788

Tube coupling clamp 1½"

s0558

Tube end bracket 1½"

00728










Cubicle partitions, hot-dip galvanized in accordance with DIN EN ISO 1461 (former standard DIN 50976)









Dimensions of dairy cattle cubicles



Species Age (months)	Weight (kg)	Cubicle width (cm)	Frame length (cm)	Cubicle length - single row (cm)	Cubicle length - double row (cm)	Neck rail height (cm)
Calves 0.5-2	~50-90	50-60	115	140	260-270	72
Calves 2-6	~90-200	60-70	135	165	300-310	76
Young cattle 6-10	~200-350	80-90	160	200	350-360	93
Heifers 10-18	~350-450	95-105	169	220	390-400	111
Heifers 18-22	~450-550	105-115	184	235	420-430	120
Large livestock 22 or more	~550-750	115-125	200-230	260-290	450-520	120-135

Suggested measurements only.

Dimensions may vary due to structures and animal breed.

components	description	ord-No.
	Wire clamp	
	Tube strap clamp	
	Tube clamp	
	Tube clamp, longer	
	Clamp for high neck rail	
	Neck belt clamp for Tube clamp longer	
	Neck belt clamp 2"	
	Neck belt plate	
	Cross clamp	
	Parallel clamp	
	Mounting accessories	
	Wire clamp (Size A x B)	
	1½" x 1½" s0548	
	1½" x 2" s0549	
	2½" x 1½" s0588	
	Tube strap clamp	
	Size U-bolt (A) x Strap clamp (B)	
	Square 50...60 x 1½" s0589	
	Square 50...60 x 2" s0590	
	Square 50...60 x 2½" s0591	
	Square 70...80 x 1½" s0592	
	Square 70...80 x 2" s0593	
	Square 70...80 x 2½" s0594	
	2" x Ø102 s0595	
	2" x 4" s0596	
	Tube clamp (Size A x B)	
	1½" x 1½" s0550	
	1½" x 2" s0542	
	2½" x 1½" s0553	
	2½" x 2" s0543	
	3" x 1½" s0597	
	3" x 2" s0598	
	Tube clamp, longer (Size A x B)	
	1½" x 1½" s0599	
	1½" x 2" s0541	
	Clamp for high neck rail	
	ca. 0,5, 6, 11 and 16 cm (Size A x B)	
	1,5" x 1,5" s0731	
	1,5" x 2,0" s0732	
	Neck belt clamp incl. U-bolt and nuts, for Tube clamp 1,5"x2" longer	s0805
	Neck belt clamp 2"	s0806
	incl. U-bolts and nuts	
	Neck belt plate piece	04014
	Neck belt 50 mm, roll 50 m	s0807
	PES red roll 100 m	s0808
	Ratchet to span neck belt	04226
	Cross clamp (Size A x B)	
	1" x 1½" s0644	
	1½" x 1½" s0560	
	2" x 1½" s0561	
	2½" x 1½" s0645	
	3" x 1½" s0646	
	2" x 2" s0562	
	2½" x 2" s0647	
	3" x 2" s0648	
	Parallel clamp (Size A x B)	
	1" x 1½" s0649	
	1½" x 1½" s0564	
	2" x 1½" s0565	
	2½" x 1½" s0650	
	3" x 1½" s0651	
	2" x 2" s0566	
	2½" x 2" s0652	
	3" x 2" s0653	
	U-bolts and Strap clamps on 9. sheet 26	

components	description	ord-No.
	Mounting accessories	
Tube end bracket	Tube end bracket	
	Fits 1½" tube	00728
	Fits 2" tube	00729
	Two-part T-clamp (Size A x B)	
Two-part T-clamp A	1" x 1½"	s0600
	1½" x 1½"	s0532
	1½" x 2"	s0601
	1½" x 2½"	s0602
	2" x 2"	s0663
	Two-part T-clamp (heavy)	
Two-part T-clamp (heavy) B	Size A x B	
	1½" x 1½"	s0556
	1½" x 2"	s0603
	2" x 1½"	s0895
	2" x 2"	s0544
	2" x 2½"	s0604
	4-way-clamp (Size A x B x C)	
4-way-clamp C	1½" x 1½" x 1½"	s0557
	1½" x 2" x 1½"	s0606
	1½" x 2½" x 1½"	s0607
	2" x 2" x 2"	s0545
	2" x 2½" x 2"	s0608
	Brisket board bracket at floor (High box)	00937
Brisket board bracket at floor (without screws) A	Brisket board bracket at 1½" tube (High box)	s2005
	Brisket board bracket at 2" tube (High box)	s2003
Brisket board bracket with U-bolt (without screws) B	Brisket board bracket extended f. ½" tube (Low box)	s0846
	Bracer tube bracket extended f. 2" tube (Low box)	s0835
High box	Bracer tube bracket for PE125 on 2" tube (High box)	s0887
	Bracer tube bracket for PE125 and plank on 2" tube (Low box)	s0888
Bracer tube bracket for PE125 and plank on 2" tube (Low box)	Bracer tube PE125 6 m (125 – outer dimension)	05547
	Bracer tube PE125	s0849
Bracer tube PE125 6 m	Tube wall bracket for PE125	05550
	Bracer tube bracket for PE160 on 2" tube (High box)	s0848
Bracer tube bracket for PE160 on 2" tube (High box)	Bracer tube bracket for PE160 on 2" tube (Low box)	s6086
Bracer tube bracket for PE160 on 2" tube (Low box)	Bracer tube PE160 6 m (160 – outer dimension)	05753
	Bracer tube PE160	s0890
Bracer tube PE160 6 m	Tube wall bracket for PE 160	07487

components	description	ord-No.
	Mounting accessories	
	Rear board bracket 120°, 2" 03567	
	Angle bracket Size 8 x 12 cm 00712	
	Holder for bedding retainer tube for 10 mm bolts	
	Holder for bedding retainer Ø 2" 03507	
	" " " Ø 2,5" 03508	
	" " " Ø 3" 03509	
	Tube coupling clamp 1½" s0558	
	" " " 2" s0559	
	Tube coupling, 2-part 1½" s0546	
	" " " 2" s0547	
	Expansion anchor (galvanized)	
	M10 x 90 mm single 00941	
	M10 x 90 mm 50 pack s0668	
	M12 x 113 mm single 00515	
	M12 x 113 mm 25 pack s0670	
	M16 x 109 mm single 00576	
	M16 x 109 mm 20 pack s0671	
	M16 x 153 mm single 00577	
	M16 x 153 mm 10 pack s0672	
	Expansion anchor (Stainless steel A4)	
	M10 x 90 mm, Niro 50 pack s6080	
	M12 x 86 mm IMC, Niro 25 pack s0669	
	M12 x 115 mm, Niro 25 pack s6081	
	M16 x 150 mm, Niro 20 pack s6082	
	Chemical anchor	
	M12 incl. capsule 10 pack s0661	
	M12 incl. capsule 100 pack s0673	
	M16 incl. capsule 10 pack s0662	
	M16 incl. capsule 100 pack s0674	
	Concrete anchor 4 x M16 01440	
	U-bolts and Strap clamps on 9. sheet 26	
		
		
Concrete anchor		


components	description	ord-No.
Post for concreting	Mounting accessories	
Square tube with plate	Post for concreting	
Post 2,5" or 3" with plate	2" x 140 cm 00755 2" x 160 cm 01694 2½" x 140 cm 00752 2½" x 160 cm 00753 2½" x 180 cm 00754 2½" x 200 cm 01432 3" x 200 cm 01433 Square tube 80 mm x 180 cm / 4 mm 00756 Square tube 100 mm x 200 cm / 5 mm 04326	
	Plate 160 x 80 x 6 mm "not galvanized", down at post welded on, to fix the post (2"/2,5"/3") in concrete	s6078
Post extension for post	Post with plate	
Channel iron for concreting	2" x 120 cm 00747 2" x 140 cm 00748 2½" x 100 cm 01434 2½" x 120 cm 00749 2½" x 130 cm 01435 2½" x 145 cm 00750 2½" x 160 cm 00751 2½" x 180 cm 01436 3" x 160 cm 01437 3" x 180 cm 01438 Square tube 80 x 140 cm / 4 mm 01477 Square tube 80 x 160 cm / 4 mm 00757	
	Post extension	
PVC sleeve	2½" x 30 cm 01439	
PVC stopper	Channel iron for concreting	
Steel sleeve	150 cm single 00767 200 cm single 06660 150 cm double 00766 200 cm double 06661	
T-bolt	PVC sleeve Standard length 18 cm	
Corrosion protection	1½" (Ø 48 mm) 00730 2" (Ø 60 mm) 00732 2½" (Ø 76 mm) 00734 2½" (Ø 76 mm) length 41 cm 08044 3" (Ø 89 mm) 01409 Square 80 mm 00736	
	PVC stopper	
	1" (Ø 34 mm) 01411 1½" (Ø 48 mm) 07195 2" (Ø 60 mm) 07196 2½" (Ø 76 mm) 07197 3" (Ø 89 mm) 07198 Square 60 mm 01413 Square 80 mm 07200	
	Steel sleeve	
	for post 2½" 00579 for post square 80 mm 00578	
	T-bolt stainless steel with nut	
	Dimension 24 x 20 cm, M12 06023 Dimension 24 x 20 cm, M16 00526	
	Corrosion protection see 9. sheet 18.1	

components


Anti-corrosive coating for hot-dip galvanized steel parts used in barns

Metal posts used in barns have a tough time holding up well. While involving a laborious application process, hot-dip galvanization offers exceptional protection against corrosion for steel parts used as building components in an unforgiving barn environment. Even though we made it to last for ages, our barn equipment is exposed to aggressive acids and bases which are sure to wear down otherwise resistant surfaces. Coating posts and other steel parts with bitumen or epoxy resin is a simple and affordable way to achieve long-term protection against corrosion. Apply this coating to all parts of your equipment that come into contact with, for instance, silage, bedding material, manure, slurry, acids and similar materials prior to installation, and you can rest assured that they are reliably protected against corrosion. Two coats of bitumen ensure a plain, yet efficient seal of the entire metal surface. If re-applied on a regular basis, an all-over protective coat will extend the service life of your barn equipment considerably. Better still, bitumen is a material that is perfectly harmless to animals and the environment.

Installation:



Care:



Provided they are subjected to regular cleaning, pipes, feed fences, cubicle clamps, etc. will enjoy a significantly longer service life. The best approach is to clean your barn equipment using a pressure washer and to check the anti-corrosive coating for any signs of damage.

description

ord-
No.

Anti-corrosive coating for hot-dip galvanized steel parts used in barns

Black Silo Varnish

Solvent-based and phenol-free protective coating on a **bitumen base**

1K

(1 component)

Required amount on iron:

2 coats with approx. 0.40 L/m²

Product safety data sheet

Tinplate container 10 liters Net 07794

" " " 25 " Net 07795

Epoxy Universal

Chemical resistant, crack-bridging, and solvent based epoxy resin coating 2K

(2 components)

Required amount on iron:

2 coats with approx. 0.35 kg/m²

Product safety data sheet

Tinplate container 5 kg Net 07796

" " " 10 " Net 07797

Extra charge for small order quantities

For orders with an amount of less than € 200.00


In Germany, the products listed above ship ex works. Refer to Arntjen's freight cost table for information on shipping costs.

Information on international delivery options is available on request.


components

Safety head rail for cattle

The benefit of a safety head rail is that cows can pull out their heads through two openings: one at the top one at the bottom of the rail. That means ill or fallen down cows can release themselves through the bottom opening. The sophisticated construction of the head rail allows to operate all close/open functions by one lever only.



Dimensions: safety head rails are only available for cattle (adult animals).



A great variety of combinations of elements and mounting hardware makes it easy to adapt head rails to your building requirements.

Examples:

Length of section	heads per section	Element A	Element B	Mounting hardware
600 cm	9	325 cm	262 cm	5-10cm *
500 cm	8	500 cm	-	0-5 cm
500 cm	7	283 cm	214 cm	0-5 cm
475 cm	7	262 cm	199 cm	5-10cm *
450 cm	7	439 cm	-	5-10cm *
450 cm	6	225 cm	225 cm	0-5 cm
440 cm	7	439 cm	-	0-5 cm

*) Attention: for mounting hardware 5-10 cm enlarged connection pieces are required.

description

ord-No.

Safety head rail for cattle

benefits:

- solid construction
- easy operation
- inside lock up mechanism
- operation of all lock up bars by one lever
- individual release possible
- no risk of finger squeezing due to inside lock up mechanism
- using plastic and rubber material to avoid noises
- responder protection
- ear tag friendly construction

Length	Feed bunk width	
500 cm (8 heads)	appr. 60 cm	sp2472860
495 cm (7 heads)	appr. 70 cm	sp2472720
439 cm (7 heads)	appr. 60 cm	sp2472760
435 cm (6 heads)	appr. 70 cm	sp2472620
355 cm (5 heads)	appr. 70 cm	sp2472520
325 cm (5 heads)	appr. 65 cm	sp2472500
300 cm (4 heads)	appr. 75 cm	sp2472440
283 cm (4 heads)	appr. 70 cm	sp2472420
262 cm (4 heads)	appr. 65 cm	sp2472400
225 cm (3 heads)	appr. 75 cm	sp2472340
214 cm (3 heads)	appr. 70 cm	sp2472320
199 cm (3 heads)	appr. 65 cm	sp2472300
150 cm (2 heads)	appr. 75 cm	sp2472240
136 cm (2 heads)	appr. 65 cm	sp2472200
lock up lever (up to 20 m)		sp2292500

Other accessories: See sheet 9.25-27 (ex store Rastede)

Attention:

Suppressor grid "SP" ex works Holland.

Up to € 3,699.99 Order value: Actual costs (inquiry)

For € 3,700.00 or more Order value: Carriage paid to German destination


Option for deliveries ex store Rastede:

Prior carriage charges to store Rastede (D): Carriage paid in case of consolidation


Carriage to customer: In accordance with Arntjen shipping table

components

Self locking head rail for cattle





cows can be released individually



lock up tube with safety unit to avoid collars being caught

One lock up lever can operate head rails up to a length of 30m

With the mounting hardware head rails can be enlarged by 5 cm



description

Self locking head rail for cattle

Our self locking head rails have no disturbing parts on the outside. The lock up mechanism is completely installed inside the top tube. Parts of high quality plastic reduce noises to a minimum.

benefits of the inside lock up mechanism:

- easy operation and safe in locking up cattle
- cows can be released individually
- moving parts are covered with rubber to avoid too much noise
- cows can not release themselves
- lock up mechanism is well protected to operate without any disturbance
- lock up tube is equipped with a safety unit to avoid collars being caught
- dimensions adapted to the requirements of your cows

Length * Feed bunk width

325 cm (5 heads)	appr. 65 cm	sp2461500
300 cm (4 heads)	appr. 75 cm	sp2461440
282 cm (4 heads)	appr. 70 cm	sp2461420
262 cm (4 heads)	appr. 65 cm	sp2461400
248 cm (4 heads)	appr. 65 cm	sp2461360
225 cm (3 heads)	appr. 75 cm	sp2461340
214 cm (3 heads)	appr. 70 cm	sp2461320
198 cm (3 heads)	appr. 65 cm	sp2461300
184 cm (3 heads)	appr. 65 cm	sp2461260
150 cm (2 heads)	appr. 75 cm	sp2461240
134 cm (2 heads)	appr. 65 cm	sp2461200
lock up lever		sp2292680

* Other lengths on request

Attention: for mounting hardware 9-19 cm and 19-29 cm enlarged connection pieces are required (See sheet 9.21).

Other accessories: See sheet 9.25-27 (ex store Rastede)

Attention:

Suppressor grid "SP" ex works Holland.

Up to €3,699.99 Order value: Actual costs (inquiry)

For €3,700.00 or more Order value: Carriage paid to German destination

Option for deliveries ex store Rastede:


Prior carriage charges to store Rastede (D): Carriage paid in case of consolidation

Carriage to customer: In accordance with Arntjen shipping table

components

Self locking head rails for heifers

For heifers 18 months or older, we recommend using the self-locking feed fence designed for large livestock.



Length

450 cm (8 heads) 2462300+2462300


440 cm (8 heads) 2462300+2462300

mounting hardware

sp0291200 (5-10cm) *

sp0291100 (0- 5cm)

Self locking head rails for young cattle



Length

450 cm (9 heads) 2464360+2464300


440 cm (9 heads) 2464360+2464300

mounting hardware

sp0291200 (5-10cm) *


sp0291100 (0- 5cm)

Self locking head rails for calves




connection piece

9-19 cm and 19-29 cm



connection piece

9-19 cm and 19-29 cm



description

ord-No.

Feed bunk width 55 cm.

Depending on the race.

For animals between the ages of approx. 10 to 18 months.

Neck size adjustable between 15 and 23 cm.

Length 1

325 cm (6 heads) sp2463500

274 cm (5 heads) sp2463400

219 cm (4 heads) sp2463300

171 cm (3 heads) sp2463200

119 cm (2 heads) sp2463100

lock up lever sp2292680

¹ Other lengths on request.

Feed bunk width 55 cm.

Depending on the race.

For animals between the ages of approx. 10 to 18 months.

Neck size 18 cm, without HWV (neck size adjustment)

Length 1

325 cm (6 heads) sp2462500

274 cm (5 heads) sp2462400

219 cm (4 heads) sp2462300

171 cm (3 heads) sp2462200

119 cm (2 heads) sp2462100

lock up lever sp2292680

¹ Other lengths on request.

Feed bunk width 45 cm.

Depending on breed/race.

For animals in an age between 3 to 10 months.

Neck width adjustable from 10 to 18,5 cm.

Length

325 cm (7 heads) sp2464500

282 cm (6 heads) sp2464400

239 cm (5 heads) sp2464360

196 cm (4 heads) sp2464300

153 cm (3 heads) sp2464260

110 cm (2 heads) sp2464200

lock up lever sp2292680

Feed bunk width 35 cm.

Depending on breed/race.

For animals up to 3 months. Neck width adjustable from 8 to 13 cm.

Length

325 cm (9 heads) sp2465500

289 cm (8 heads) sp2465400

256 cm (7 heads) sp2465360

222 cm (6 heads) sp2465300

188 cm (5 heads) sp2465200

120 cm (3 heads) sp2465100

lock up lever sp2292680

^{*} Connection piece

All "SP" Self locking head rails are equipped with 0-9 cm mounting hardware as standard feature.

For higher distances between rails (9-19 cm and 19-29 cm) longer connection pieces have to be ordered.

for head rails with inside lock up mechanism:

9-19 cm Connection piece sp0222031

19-29 cm Connection piece sp0222032

for safety head rails:

9-19 cm Connection piece sp2472031

19-29 cm Connection piece sp2472032

Other accessories: See sheet 9.25-27 (ex store Rastede)

Attention:

Suppressor grid "SP" ex works Holland.



Up to €3,699.99 Order value: Actual costs (inquiry)

For €3,700.00 or more Order value: Carriage paid to German destination

Option for deliveries ex store Rastede:

Prior carriage charges to store Rastede (D): Carriage paid in case of consolidation

Carriage to customer: In accordance with Arntjen shipping table



components	description	ord- No.
	Self-locking feed fence type Simplex/EU 94 (frame height approx. 94 cm) for large livestock, neck size approx. 20 cm (feeding rack including 4 fastening screws) Length (center-to-center dimension)	
	325 cm (5 eating places/width approx. 65 cm) s0850 300 cm (4 eating places/width approx. 75 cm) s0851 282 cm (4 eating places/width approx. 70 cm) s0852 262 cm (4 eating places/width approx. 65 cm) s0853 248 cm (4 eating places/width approx. 65 cm) s0854 225 cm (3 eating places/width approx. 75 cm) s0855 214 cm (3 eating places/width approx. 70 cm) s0856 198 cm (3 eating places/width approx. 65 cm) s0857 184 cm (3 eating places/width approx. 65 cm) s0858 150 cm (2 eating places/width approx. 75 cm) s0859 134 cm (2 eating places/width approx. 65 cm) s0860 Large livestock fence, custom lengths meters s0861 Eating place width 65/70/75 cm	
	Mounting accessories: Locking lever, one-sided 05627 Locking lever, double-sided 05628 Connection unit for feed fence fastener 0-5, 5-10, 10-20 cm s0984 Feed fence fastener 0-5 cm 2 1/2" set s0500 Feed fence fastener 5-10cm 2 1/2" set s0501 Feed fence fastener 10-20cm 2 1/2" set s0502 Hinge bar 105 cm 00740 Locking bar 105 cm, with linch pin s0512 Knee board bracket at square 50 mm s0714 Adjustable suspension for Simplex/EU feeding rack s0715 set for 2 pipe ends	
	For additional mounting accessories, see 9. sheets 25-27	

Bridging wider girder distances is possible by combining the elements.

element 1	+ element 2	+ feed fence fastener	= approx. length (center-to-center dimension)
325 cm (5 EP/65)	262 cm (4 EP/65)	5-10 FFF	600 cm
248 cm (4 EP/65)	248 cm (4 EP/65)	0- 5 FFF	500 cm
282 cm (4 EP/70)	214 cm (3 EP/70)	0- 5 FFF	500 cm
262 cm (4 EP/65)	198 cm (3 EP/65)	5-10 FFF	475 cm
248 cm (4 EP/65)	198 cm (3 EP/65)	0- 5 FFF	450 cm
225 cm (3 EP/75)	225 cm (3 EP/75)	0- 5 FFF	450 cm
248 cm (4 EP/65)	184 cm (3 EP/65)	0- 5 FFF	440 cm

Depending on the combination of the fences and the fastener, you can compose additional girder dimensions (panels).


components	description	ord-No.
------------	-------------	---------



Bridging wider girder distances is possible by combining the elements.



element 1	+ element 2	+ feed fence fastener	= approx. length (center-to-center dimension)
325 cm (5 EP/65)	262 cm (4 EP/65)	5-10 FFF	600 cm
248 cm (4 EP/65)	248 cm (4 EP/65)	0- 5 FFF	500 cm
282 cm (4 EP/70)	214 cm (3 EP/70)	0- 5 FFF	500 cm
262 cm (4 EP/65)	198 cm (3 EP/65)	5-10 FFF	475 cm
248 cm (4 EP/65)	198 cm (3 EP/65)	0- 5 FFF	450 cm
225 cm (3 EP/75)	225 cm (3 EP/75)	0- 5 FFF	450 cm
248 cm (4 EP/65)	184 cm (3 EP/65)	0- 5 FFF	440 cm


Depending on the combination of the fences and the fastener, you can compose additional girder dimensions (panels).

components	description	ord- No.
	Self-locking feed fence type Simplex EU (frame height approx. 94 cm) for heifers 10-18 months (depending on the race), neck size approx. 18 cm (feeding rack including 4 fastening screws) Length (center-to-center dimension) 325 cm (6 eating places/width approx. 55 cm) s0862 274 cm (5 eating places/width approx. 55 cm) s0863 248 cm (4 eating places/width approx. 55 cm) s0864 219 cm (4 eating places/width approx. 55 cm) s0865 171 cm (3 eating places/width approx. 55 cm) s0866 119 cm (2 eating places/width approx. 55 cm) s0867 Heifer fence, custom lengths meters s0868 Eating place width 55 cm	
	Self-locking feed fence type Simplex EU (frame height approx. 94 cm) for heifers 10-18 months (depending on the race), neck size adjustment (NSA) (feeding rack including 4 fastening screws) Length (center-to-center dimension) 325 cm (6 eating places/width approx. 55 cm) s0869 274 cm (5 eating places/width approx. 55 cm) s0870 248 cm (4 eating places/width approx. 55 cm) s0871 219 cm (4 eating places/width approx. 55 cm) s0872 171 cm (3 eating places/width approx. 55 cm) s0873 119 cm (2 eating places/width approx. 55 cm) s0874 Heifer fence, custom lengths meters s0875 Eating place width 55 cm	
	Mounting accessories: Locking lever, one-sided 05627 Locking lever, double-sided 05628 Connection unit for feed fence fastener 0-5, 5-10, 10-20 cm s0984 Feed fence fastener 0-5 cm 2 1/2" set s0500 Feed fence fastener 5-10cm 2 1/2" set s0501 Feed fence fastener 10-20cm 2 1/2" set s0502 Hinge bar 105 cm 00740 Locking bar 105 cm, with linch pin s0512 Knee board bracket at square 50 mm s0714 Adjustable suspension for Simplex EU feeding rack set for 2 pipe ends s0715 For additional mounting accessories, see 9. sheets 25-27	
Bridging wider girder distances is possible by combining the elements.		






element 1	+ element 2	+ feed fence fastener	= approx. length (center-to-center dimension)
325 cm (6 EP/55)	274 cm (5 EP/55)	0- 5 FFF	600 cm
274 cm (5 EP/55)	219 cm (4 EP/55)	0- 5 FFF	500 cm
219 cm (4 EP/55)	248 cm (4 EP/55)	0- 5 FFF	475 cm
219 cm (4 EP/55)	219 cm (4 EP/55)	5-10 FFF	450 cm
219 cm (4 EP/55)	219 cm (4 EP/55)	0- 5 FFF	440 cm

Depending on the combination of the fences and the fastener, you can compose additional girder dimensions (panels).

components	description	ord- No.																				
 <p>Frame height: Young cattle approx. 80 cm Calves approx. 70 cm</p>	<p>Self-locking feed fence type Simplex EU (frame height approx. 80 cm) for young cattle between 3 and 10 months (depending on the race), neck size adjustment (HWV) (feeding rack including 4 fastening screws) Length (center-to-center dimension)</p> <table> <tbody> <tr><td>325 cm (7 eating places/width approx. 45 cm)</td><td>s0958</td></tr> <tr><td>282 cm (6 eating places/width approx. 45 cm)</td><td>s0959</td></tr> <tr><td>239 cm (5 eating places/width approx. 45 cm)</td><td>s0960</td></tr> <tr><td>196 cm (4 eating places/width approx. 45 cm)</td><td>s0961</td></tr> <tr><td>153 cm (3 eating places/width approx. 45 cm)</td><td>s0962</td></tr> <tr><td>110 cm (2 eating places/width approx. 45 cm)</td><td>s0963</td></tr> <tr><td>Young cattle fence, custom lengths meters</td><td>s0964</td></tr> <tr><td>Eating place width 45 cm</td><td></td></tr> </tbody> </table>	325 cm (7 eating places/width approx. 45 cm)	s0958	282 cm (6 eating places/width approx. 45 cm)	s0959	239 cm (5 eating places/width approx. 45 cm)	s0960	196 cm (4 eating places/width approx. 45 cm)	s0961	153 cm (3 eating places/width approx. 45 cm)	s0962	110 cm (2 eating places/width approx. 45 cm)	s0963	Young cattle fence, custom lengths meters	s0964	Eating place width 45 cm						
325 cm (7 eating places/width approx. 45 cm)	s0958																					
282 cm (6 eating places/width approx. 45 cm)	s0959																					
239 cm (5 eating places/width approx. 45 cm)	s0960																					
196 cm (4 eating places/width approx. 45 cm)	s0961																					
153 cm (3 eating places/width approx. 45 cm)	s0962																					
110 cm (2 eating places/width approx. 45 cm)	s0963																					
Young cattle fence, custom lengths meters	s0964																					
Eating place width 45 cm																						
	<p>Self-locking feed fence type Simplex EU (frame height approx. 70 cm) for calves up to 3 months (depending on the race), neck size adjustment (HWV) (feeding rack including 4 fastening screws) Length (center-to-center dimension)</p> <table> <tbody> <tr><td>325 cm (9 eating places/width approx. 35 cm)</td><td>s0965</td></tr> <tr><td>289 cm (8 eating places/width approx. 35 cm)</td><td>s0966</td></tr> <tr><td>256 cm (7 eating places/width approx. 35 cm)</td><td>s0967</td></tr> <tr><td>222 cm (6 eating places/width approx. 35 cm)</td><td>s0968</td></tr> <tr><td>188 cm (5 eating places/width approx. 35 cm)</td><td>s0969</td></tr> <tr><td>120 cm (3 eating places/width approx. 35 cm)</td><td>s0970</td></tr> <tr><td>Calf fence, custom lengths meters</td><td>s0971</td></tr> <tr><td>Eating place width 35 cm</td><td></td></tr> </tbody> </table>	325 cm (9 eating places/width approx. 35 cm)	s0965	289 cm (8 eating places/width approx. 35 cm)	s0966	256 cm (7 eating places/width approx. 35 cm)	s0967	222 cm (6 eating places/width approx. 35 cm)	s0968	188 cm (5 eating places/width approx. 35 cm)	s0969	120 cm (3 eating places/width approx. 35 cm)	s0970	Calf fence, custom lengths meters	s0971	Eating place width 35 cm						
325 cm (9 eating places/width approx. 35 cm)	s0965																					
289 cm (8 eating places/width approx. 35 cm)	s0966																					
256 cm (7 eating places/width approx. 35 cm)	s0967																					
222 cm (6 eating places/width approx. 35 cm)	s0968																					
188 cm (5 eating places/width approx. 35 cm)	s0969																					
120 cm (3 eating places/width approx. 35 cm)	s0970																					
Calf fence, custom lengths meters	s0971																					
Eating place width 35 cm																						
	<p>Mounting accessories:</p> <table> <tbody> <tr><td>Locking lever, one-sided</td><td>s05627</td></tr> <tr><td>Locking lever, double-sided</td><td>s05628</td></tr> <tr><td>Connection unit for feed fence fastener (0-5, 5-10, 10-20 cm)</td><td>s0984</td></tr> <tr><td>Feed fence fastener 0-5 cm 2½"</td><td>set s0500</td></tr> <tr><td>Feed fence fastener 5-10cm 2½"</td><td>set s0501</td></tr> <tr><td>Feed fence fastener 10-20cm 2½"</td><td>set s0502</td></tr> <tr><td>Hinge bar 105 cm</td><td>00740</td></tr> <tr><td>Locking bar 105 cm, with lynch pin</td><td>s0512</td></tr> <tr><td>Knee board bracket at square 50 mm</td><td>s0714</td></tr> <tr><td>Adjustable suspension for Simplex EU feeding rack set for 2 pipe ends</td><td>s0715</td></tr> </tbody> </table>	Locking lever, one-sided	s05627	Locking lever, double-sided	s05628	Connection unit for feed fence fastener (0-5, 5-10, 10-20 cm)	s0984	Feed fence fastener 0-5 cm 2½"	set s0500	Feed fence fastener 5-10cm 2½"	set s0501	Feed fence fastener 10-20cm 2½"	set s0502	Hinge bar 105 cm	00740	Locking bar 105 cm, with lynch pin	s0512	Knee board bracket at square 50 mm	s0714	Adjustable suspension for Simplex EU feeding rack set for 2 pipe ends	s0715	
Locking lever, one-sided	s05627																					
Locking lever, double-sided	s05628																					
Connection unit for feed fence fastener (0-5, 5-10, 10-20 cm)	s0984																					
Feed fence fastener 0-5 cm 2½"	set s0500																					
Feed fence fastener 5-10cm 2½"	set s0501																					
Feed fence fastener 10-20cm 2½"	set s0502																					
Hinge bar 105 cm	00740																					
Locking bar 105 cm, with lynch pin	s0512																					
Knee board bracket at square 50 mm	s0714																					
Adjustable suspension for Simplex EU feeding rack set for 2 pipe ends	s0715																					
	<p>For additional mounting accessories, see 9. sheets 25–27</p>																					

components	description	ord- No.																																
<p>Arntjen Excellent Safety Feeding Rack Type EU 105/S 2"</p> 	<p>Arntjen Excellent Safety Feeding Rack Type EU 105/S 2" (frame height approx. 105 cm) for large livestock, neck size approx. 20 cm (safety feeding rack with 4 fastening screws) Length (center-to-center dimension)</p> <table> <tbody> <tr><td>500 cm (7 eating places/width approx. 70 cm)</td><td>s6018</td></tr> <tr><td>480 cm (7 eating places/width approx. 70 cm)</td><td>s6019</td></tr> <tr><td>430 cm (6 eating places/width approx. 70 cm)</td><td>s6020</td></tr> <tr><td>360 cm (5 eating places/width approx. 70 cm)</td><td>s6049</td></tr> <tr><td>325 cm (5 eating places/width approx. 65 cm)</td><td>s6021</td></tr> <tr><td>300 cm (4 eating places/width approx. 75 cm)</td><td>s6022</td></tr> <tr><td>282 cm (4 eating places/width approx. 70 cm)</td><td>s6023</td></tr> <tr><td>262 cm (4 eating places/width approx. 65 cm)</td><td>s6024</td></tr> <tr><td>248 cm (4 eating places/width approx. 65 cm)</td><td>s6025</td></tr> <tr><td>225 cm (3 eating places/width approx. 75 cm)</td><td>s6026</td></tr> <tr><td>214 cm (3 eating places/width approx. 70 cm)</td><td>s6027</td></tr> <tr><td>198 cm (3 eating places/width approx. 65 cm)</td><td>s6028</td></tr> <tr><td>184 cm (3 eating places/width approx. 65 cm)</td><td>s6029</td></tr> <tr><td>150 cm (2 eating places/width approx. 75 cm)</td><td>s6030</td></tr> <tr><td>134 cm (2 eating places/width approx. 65 cm)</td><td>s6031</td></tr> </tbody> </table> <p>Custom lengths safety feeding rack: Including fence extension, i.e. the standard element, e.g. 300 cm, is extended on one side by 20 cm to a total of 320 cm (if necessary, with "vertical struts"). The eating place widths of approx. 65/70/75cm remain unchanged.</p> <p>Customization up to a rack length of 6.00 meters: with eating place width of 75 cm per meter s6072 with eating place width of 70 cm per meter s6073 with eating place width of 65 cm per meter s6074</p> <p>- Custom rack with modified eating place widths available on request!</p>	500 cm (7 eating places/width approx. 70 cm)	s6018	480 cm (7 eating places/width approx. 70 cm)	s6019	430 cm (6 eating places/width approx. 70 cm)	s6020	360 cm (5 eating places/width approx. 70 cm)	s6049	325 cm (5 eating places/width approx. 65 cm)	s6021	300 cm (4 eating places/width approx. 75 cm)	s6022	282 cm (4 eating places/width approx. 70 cm)	s6023	262 cm (4 eating places/width approx. 65 cm)	s6024	248 cm (4 eating places/width approx. 65 cm)	s6025	225 cm (3 eating places/width approx. 75 cm)	s6026	214 cm (3 eating places/width approx. 70 cm)	s6027	198 cm (3 eating places/width approx. 65 cm)	s6028	184 cm (3 eating places/width approx. 65 cm)	s6029	150 cm (2 eating places/width approx. 75 cm)	s6030	134 cm (2 eating places/width approx. 65 cm)	s6031			
500 cm (7 eating places/width approx. 70 cm)	s6018																																	
480 cm (7 eating places/width approx. 70 cm)	s6019																																	
430 cm (6 eating places/width approx. 70 cm)	s6020																																	
360 cm (5 eating places/width approx. 70 cm)	s6049																																	
325 cm (5 eating places/width approx. 65 cm)	s6021																																	
300 cm (4 eating places/width approx. 75 cm)	s6022																																	
282 cm (4 eating places/width approx. 70 cm)	s6023																																	
262 cm (4 eating places/width approx. 65 cm)	s6024																																	
248 cm (4 eating places/width approx. 65 cm)	s6025																																	
225 cm (3 eating places/width approx. 75 cm)	s6026																																	
214 cm (3 eating places/width approx. 70 cm)	s6027																																	
198 cm (3 eating places/width approx. 65 cm)	s6028																																	
184 cm (3 eating places/width approx. 65 cm)	s6029																																	
150 cm (2 eating places/width approx. 75 cm)	s6030																																	
134 cm (2 eating places/width approx. 65 cm)	s6031																																	
<p>Characteristics of the Arntjen Excellent Safety Feeding Rack:</p> <ul style="list-style-type: none"> - Type EU 105/S 2" frame height 105 cm - Type EU 108/S 2.5" frame height 108 cm - Rack lengths ranging from 1.34 to 5.00 (6.00) meters - Place width approx. 60 – 75 cm - Low-noise feeding arms - Low-seated closing mechanisms - With additional weight – open feeding arm - Single bunk locking 	<p>Mounting accessories:</p> <table> <tbody> <tr><td>Central locking lever, complete</td><td>s6083</td></tr> <tr><td>Single bunk locking SIFG</td><td>07937</td></tr> <tr><td>Bearing bracket with 2 wood screws 6x60 for storing of 5 single bunk lockings</td><td>set s6061</td></tr> <tr><td>Connection unit for feed fence fastener (0-5,5-10,10-20cm)</td><td>s0984</td></tr> <tr><td>Feed fence fastener 0-5 cm 2 1/2"</td><td>set s0500</td></tr> <tr><td>Feed fence fastener 5-10cm 2 1/2"</td><td>set s0501</td></tr> <tr><td>Feed fence fastener 10-20cm 2 1/2"</td><td>set s0502</td></tr> <tr><td>Hinge bar 130 cm</td><td>00741</td></tr> <tr><td>Locking bar 130 cm, with linch pin</td><td>s0513</td></tr> <tr><td>Knee board bracket on 2" tube</td><td>s0515</td></tr> </tbody> </table> <p>For additional mounting accessories, see 9. sheets 25–27</p>	Central locking lever, complete	s6083	Single bunk locking SIFG	07937	Bearing bracket with 2 wood screws 6x60 for storing of 5 single bunk lockings	set s6061	Connection unit for feed fence fastener (0-5,5-10,10-20cm)	s0984	Feed fence fastener 0-5 cm 2 1/2"	set s0500	Feed fence fastener 5-10cm 2 1/2"	set s0501	Feed fence fastener 10-20cm 2 1/2"	set s0502	Hinge bar 130 cm	00741	Locking bar 130 cm, with linch pin	s0513	Knee board bracket on 2" tube	s0515													
Central locking lever, complete	s6083																																	
Single bunk locking SIFG	07937																																	
Bearing bracket with 2 wood screws 6x60 for storing of 5 single bunk lockings	set s6061																																	
Connection unit for feed fence fastener (0-5,5-10,10-20cm)	s0984																																	
Feed fence fastener 0-5 cm 2 1/2"	set s0500																																	
Feed fence fastener 5-10cm 2 1/2"	set s0501																																	
Feed fence fastener 10-20cm 2 1/2"	set s0502																																	
Hinge bar 130 cm	00741																																	
Locking bar 130 cm, with linch pin	s0513																																	
Knee board bracket on 2" tube	s0515																																	
<p>Bridging wider girder distances is possible by combining the elements.</p> <table border="1"> <thead> <tr> <th>Element 1</th> <th>+ Element 2</th> <th>+ Feed fence fastener</th> <th>= approx. length (center-to-center dimension)</th> </tr> </thead> <tbody> <tr><td>325 cm (5 EP/65)</td><td>262 cm (4 EP/65)</td><td>5-10 FFF</td><td>600 cm</td></tr> <tr><td>248 cm (4 EP/65)</td><td>248 cm (4 EP/65)</td><td>0- 5 FFF</td><td>500 cm</td></tr> <tr><td>282 cm (4 EP/70)</td><td>214 cm (3 EP/70)</td><td>0- 5 FFF</td><td>500 cm</td></tr> <tr><td>262 cm (4 EP/65)</td><td>198 cm (3 EP/65)</td><td>5-10 FFF</td><td>475 cm</td></tr> <tr><td>248 cm (4 EP/65)</td><td>198 cm (3 EP/65)</td><td>0- 5 FFF</td><td>450 cm</td></tr> <tr><td>225 cm (3 EP/75)</td><td>225 cm (3 EP/75)</td><td>0- 5 FFF</td><td>450 cm</td></tr> <tr><td>248 cm (4 EP/65)</td><td>184 cm (3 EP/65)</td><td>0- 5 FFF</td><td>440 cm</td></tr> </tbody> </table> <p>Depending on the combination of the fences and the fastener, you can compose additional girder dimensions (panels).</p>	Element 1	+ Element 2	+ Feed fence fastener	= approx. length (center-to-center dimension)	325 cm (5 EP/65)	262 cm (4 EP/65)	5-10 FFF	600 cm	248 cm (4 EP/65)	248 cm (4 EP/65)	0- 5 FFF	500 cm	282 cm (4 EP/70)	214 cm (3 EP/70)	0- 5 FFF	500 cm	262 cm (4 EP/65)	198 cm (3 EP/65)	5-10 FFF	475 cm	248 cm (4 EP/65)	198 cm (3 EP/65)	0- 5 FFF	450 cm	225 cm (3 EP/75)	225 cm (3 EP/75)	0- 5 FFF	450 cm	248 cm (4 EP/65)	184 cm (3 EP/65)	0- 5 FFF	440 cm		
Element 1	+ Element 2	+ Feed fence fastener	= approx. length (center-to-center dimension)																															
325 cm (5 EP/65)	262 cm (4 EP/65)	5-10 FFF	600 cm																															
248 cm (4 EP/65)	248 cm (4 EP/65)	0- 5 FFF	500 cm																															
282 cm (4 EP/70)	214 cm (3 EP/70)	0- 5 FFF	500 cm																															
262 cm (4 EP/65)	198 cm (3 EP/65)	5-10 FFF	475 cm																															
248 cm (4 EP/65)	198 cm (3 EP/65)	0- 5 FFF	450 cm																															
225 cm (3 EP/75)	225 cm (3 EP/75)	0- 5 FFF	450 cm																															
248 cm (4 EP/65)	184 cm (3 EP/65)	0- 5 FFF	440 cm																															

components	description	ord- No.
Arntjen Excellent Safety Feeding Rack Type EU 108/S 2.5"	Arntjen Excellent Safety Feeding Rack Type EU 108/S 2.5" (frame height approx. 108 cm) for large livestock, neck size approx. 20 cm (safety feeding rack with 4 fastening screws) <u>Length (center-to-center dimension)</u>	
2" upper/lower tube	500 cm (7 eating places/width approx. 70 cm) s6033	
2.5" upper/lower tube	480 cm (7 eating places/width approx. 70 cm) s6034	
	430 cm (6 eating places/width approx. 70 cm) s6035	
	360 cm (5 eating places/width approx. 70 cm) s6050	
	325 cm (5 eating places/width approx. 65 cm) s6036	
	300 cm (4 eating places/width approx. 75 cm) s6037	
	282 cm (4 eating places/width approx. 70 cm) s6038	
	262 cm (4 eating places/width approx. 65 cm) s6039	
	248 cm (4 eating places/width approx. 65 cm) s6040	
	225 cm (3 eating places/width approx. 75 cm) s6041	
	214 cm (3 eating places/width approx. 70 cm) s6042	
	198 cm (3 eating places/width approx. 65 cm) s6043	
	184 cm (3 eating places/width approx. 65 cm) s6044	
	150 cm (2 eating places/width approx. 75 cm) s6045	
	134 cm (2 eating places/width approx. 65 cm) s6046	
	<u>Custom lengths safety feeding rack:</u> Including fence extension, i.e. the standard element, e.g. 300 cm, is extended on one side by 20 cm to a total of 320 cm (if necessary, with "vertical struts"). The eating place widths of approx. 65/70/75cm remain unchanged.	
	<u>Customization up to a rack length of 6.00 meters:</u> with eating place width of 75 cm per meter s6075 with eating place width of 70 cm per meter s6076 with eating place width of 65 cm per meter s6077	
	- Custom rack with modified eating place widths available on request!	
	Mounting accessories:	
	Central locking lever, complete s6083	
	Single bunk locking SIFG 07937	
	Bearing bracket with 2 wood screws 6x60 for storing of 5 single bunk lockings set s6061	
	Connection unit for feed fence fastener (0-5, 5-10, 10-20cm) s0984	
	Feed fence fastener size 85 set s6051 0-5 cm for 2.5" post	
	Feed fence fastener size 85 set s6052 5-10 cm for 2.5" post	
	Feed fence fastener size 85 set s6053 10-20 cm for 2.5" post	
	Hinge bar 130 cm 00741	
	Locking bar 130 cm, with lynch pin s0513	
	Knee board bracket on 2.5" tube s6054	
	For additional mounting accessories, see 9. sheets 25-27	
	Depending on the combination of the fences and the fastener, you can compose additional girder dimensions (panels).	

components	description	ord- No.
	Diagonal feed fence Cows D=29 cm H=95 cm Length (center to center)	
	325 cm (7 openings)..... s0737	
	295 cm (6 openings)..... s0738	
	212 cm (4 openings)..... s0739	
	145 cm (2 openings)..... s0740	
	Made to measure, price per meter..... s0741	
	Young stock 3-15 month D=24cm H=95cm Length (center to center)	
	325 cm (8 openings)..... s0742	
	290 cm (7 openings)..... s0743	
	220 cm (5 openings)..... s0744	
	160 cm (3 openings)..... s0745	
	Made to measure, price per meter..... s0746	
	Calves 2-3 mon. D=20 cm H=79 cm Length (center to center)	
	325 cm (10 openings)..... s0747	
	275 cm (8 openings)..... s0748	
	225 cm (6 openings)..... s0749	
	165 cm (4 openings)..... s0750	
	Made to measure, price per meter..... s0751	
	Turn around equipment for feed fence, bottom tube 1,5" s0617	
	for feed fence, bottom tube 2,0" s0733	
	for feed fence, bottom tube 50x50 mm s0734	
	feed fence height 94 cm	
	for feed fence, bottom tube 50x50 mm s6017	
	feed fence height 105 cm	
	Separate sets: Feed fence mounting hardware 0-5 cm for 2½" post	s0500
	Hinge bar 105 cm	00740
	Locking bar 105 cm	s0512
	Knee board bracket 1,5" (1x)	s0514
	Knee board bracket 2,0" (1x)	s0515
	Knee board bracket square 50 mm (1x)	s0714
	Caster wheel for diagonal feed fence	s0638
	for self locking feed fence	s0639
	Man passage strip (variable) for all feed fences set	00744
	Horizontal Neck rail Neck rail bracket 1½", 30 cm	04403
	1. Attached to post U-bolt M10 incl. nuts, 2"x90mm, galvanized	s0613
	U-bolt M10 incl. nuts, 2,5"x120mm galvanized	s0614
	2. Attached to wooden post hexagon - wood screw M10x90 galvan.	00634
	3. Clamp between tube and bracket Tube clamp galvan. incl. U-bolts and nuts	
	1,5"x1,5"	s0550
	1,5"x2"	s0542
	1,5"x2,5"	s0553
	4. Neck rail and tube coupling Tube 1½" (6 m long) by meter	00788
	Tube 2" (6 m long) by meter	00784
	Tube 2½" (6 m long) by meter	00786
	Tube coupling clamp 1,5"	s0558
	Tube coupling clamp 2"	s0559

components

description

ord-
No.

Mounting accessories: feed fences

feed fence and divider bracket set

Fastener to 2½" post

0-5 cm s0500

5-10 cm s0501

10-20 cm s0502

Fastener to 102 mm post

0-5 cm s0620

5-10 cm s0621

10-20 cm s0622

Fastener to 3" post

0-5 cm s0623

5-10 cm s0624

10-20 cm s0625

Fastener to square tube 80 mm

0-5 cm s0503

5-10 cm s0504

10-20 cm s0505

Fastener to wooden post
incl. wood screws

0-5 cm s0506

5-10 cm s0507

10-20 cm s0508

Fastener between wooden posts
incl. wood screws

0-7 cm s0509

5-12 cm s0510

10-17 cm s0511

**Spacer piece to hang feed fences
(without accessories)** s0792

**U-bracket will be screwed to a
mounting system on a concrete base**

for feed fence with bottom tube 2,0" 08308

for feed fence with bottom tube 2,5" 08309

for feed fence type Simplex/EU 09278

**U-bolt M10 incl. nuts
galvanized**

Size A x B

1" x 65 mm s0610

1" x 85 mm s0611

1½" x 75 mm s0612

2" x 90 mm s0613

2½" x 120 mm s0614

Square 60 x 90 mm s0615

Square 80 x 110 mm s0616

Strap clamp

1" (Ø 34 mm) 01414

1½" (Ø 48 mm) 00646

2" (Ø 60 mm) 00647

2½" (Ø 76 mm) 00648

3" (Ø 89 mm) 01415

4" (Ø 114 mm) 01416

Ø 102 mm 01417

Ø 108 mm 01418


Square 60 x 60 mm 01419

Square 80 x 80 mm 00649


Square 80 x 120 mm 01421




feed fence bracket set to post




feed fence bracket set
between wooden posts



spacer piece to hang
feed fences



U-bracket will be screwed
to a mounting system on
a concrete base
(fastening with anchor
M12, order separately!)




B
U-bolt

A

Strap clamp

components



description

ord-
No.

Mounting accessories:

Knee board bracket

Knee board bracket 1½" (1x) s0514

Knee board bracket 2" (1x) s0515

Knee board bracket at square 50 mm (1x) s0714

Knee board bracket at square 60 mm (1x) s0619

Locking bar

Locking bar 105 cm s0512

Locking bar 130 cm s0513

Hinge bar

Hinge bar 105 cm 00740

Hinge bar 130 cm 00741

Lay-on hook

To lay on a divider at a wall 00566

Locking pin

s0989

Gate hook

03272

Wall bracket set

with bolt M12 and nut

size

60 mm x 180° s0517

60 mm x 90° s0518

70 mm x 180° s0519

70 mm x 90° s0520

Mounting bracket set

with bolt M12 and nut

mounting

to wall s0521

to post 2" s0522

to post 2½" s0523

to post 3" s0626

Door snap closing for 1,5" tube

at wall s0836

at vertical tube 2" s0837

at vertical tube 2,5" s0838

at vertical/horiz. 60x60mm square tube s0839

at vertical 80x80mm square tube s0840

Door snap closing for 2" tube

at wall s0841

at vertical tube 2" s0842

at vertical tube 2,5" s0843

at vertical/horiz. 60x60mm square tube s0844

at vertical 80x80mm square tube s0845

Fastener set at 2½" post

Fastener set for 1 divider s0524

Fastener set for 2 dividers (180°) s0525

Fastener set for 2 dividers (90°) s0526

Fastener set for 3 dividers s0527

Fastener set at square 80 mm post

Fastener set for 1 divider s0528

Fastener set for 2 dividers (180°) s0529










Fastener set for 2 dividers (90°) s0530

Fastener set for 3 dividers s0531










Adjustable fastener point for Diagonal feed fences / Dividers (for 4 tube ends)







Set fastener point for 1½" s0655

Set fastener point for 2" s0656

components	description	ord-No.
 <p>One-way gate</p>	Gates	
	One-way gate (variable) 1,5" ¹⁾	
	80-110 cm	s0643
 <p>Moveable gate between stalls</p>	Moveable gate 2" / 1,5" between stalls	
	210-270 cm	s0682
	270-330 cm	s0683
 <p>Moveable gate between feed fence and stalls</p>	Moveable gate 2" / 1,5" between feed fence and stalls (back side)	
	290-345 cm	s0684
	345-400 cm	s0685
 <p>Cow gate 53</p>	Cow gate 53 cm, 1,5" ¹⁾	
	length	
	215 cm	01447
	270 cm	00626
	325 cm	00627
	350 cm	00628
	Made to measure, price per meter	00632
 <p>Cow gate 79</p>	Cow gate 79 cm, 1,5" ¹⁾	
	length	
	215 cm	01448
	270 cm	00629
	325 cm	00630
	350 cm	00631
	Made to measure, price per meter	00633
 <p>Telescopic gate 2" / 1,5"</p> <p>with adjustable pivot and locking point</p> <p>Total length – height: 95 cm</p>	Telescopic gate 2" / 1,5"	
	200-300 cm	s0657
	250-400 cm	s0658
	300-500 cm	s0659
 <p>Adjustable pivot incl. U-bolts</p> <p>for gates/dividers (height)</p>	Adjustable pivot incl. U-bolts	
	53 cm	s0627
	79 cm	s0628
	95 cm	s0629
	112 cm	s0630
	122 cm	s0640
 <p>Universal lock</p> <p>with locking point and U-bolts.</p> <p>for gates/dividers (height)</p>	Universal lock	
	53 cm	s0631
	79 cm	s0632
	95 cm	s0633
	112 cm	s0634
	122 cm	s0635
 <p>Locking point (for 2,5" ¹⁾</p>	Locking point (for 2,5" ¹⁾	02317





¹⁾ without bolts to fasten

components	description	ord- No.
 <p>300 / 325 / 350 / 400 // per meter</p>	Gates (horizontal)	
 <p>79</p>	Cow gate 53 cm ¹⁾ length	
	300 cm s0766	
	325 cm s0767	
	350 cm s0768	
	400 cm s0769	
	Made to measure, price per meter s0770	
 <p>112</p>	Cow gate 79 cm ¹⁾ length	
	300 cm s0771	
	325 cm s0772	
	350 cm s0773	
	400 cm s0774	
	Made to measure, price per meter s0775	
 <p>122</p>	Cow gate 112 cm ¹⁾ length	
	300 cm s0776	
	325 cm s0777	
	350 cm s0778	
	400 cm s0779	
	Made to measure, price per meter s0780	
 <p>112/122</p>	Cow gate 122 cm ¹⁾ length	
	300 cm s0781	
	325 cm s0782	
	350 cm s0783	
	400 cm s0784	
	Made to measure, price per meter s0785	
 <p>112/122</p>	Cow gate 122 cm, 1.5" in universal-length ¹⁾ length	
	310 cm s0786	
	360 cm s0787	
	410 cm s0788	
	End part 112 cm for fix assembly s0789	
	End part 112 cm with universal lock and locking point with 2,5" U-bolts s0790	
 <p>122</p>	Cow gate 122 cm, 2" in universal-length ¹⁾ length	
	310 cm s0795	
	360 cm s0796	
	410 cm s0797	
	End part 122 cm for fix assembly s0798	
	End part 122 cm with universal lock and locking point with 2,5" U-bolts s0799	
 <p>122</p>	1. Fastener set for eye bolts s0791	
	2. Fastener set for eye bolts at 2,5" s0793	
	3. Fastener set for eye bolts at square 80 mm s0794	
 <p>122</p>	1) Incl. 1 adjustable pivot, without bolts to fasten	

components	description	ord- No.
 <p>12.5 cm center to center</p>	Dividers (vertical) Young stock dividers 79 cm ¹⁾ Length	
	215 cm 01449	
	270 cm 01450	
	300 cm 01451	
	325 cm 01452	
	350 cm 01453	
	400 cm 01454	
	special length, price per meter 01455	
 <p>12.5 cm center to center</p>	Young stock dividers 95 cm ¹⁾ Length	
	215 cm 01456	
	270 cm 01457	
	300 cm 01458	
	325 cm 01459	
	350 cm 01460	
	400 cm 01461	
	special length, price per meter 01462	
 <p>12.5 cm center to center</p>	Young stock dividers 112 cm ¹⁾ Length	
	215 cm 01463	
	270 cm 00635	
	300 cm 00636	
	325 cm 00637	
	350 cm 00638	
	400 cm 01464	
	450 cm 03071	
	500 cm 03072	
	special length, price per meter 00639	
 <p>112 cm</p>	Young stock dividers 112 cm with opening for drinking bowl ¹⁾ Length	
	215 cm 01465	
	270 cm 00641	
	300 cm 00642	
	325 cm 00643	
	350 cm 00644	
	400 cm 01466	
	special length, price per meter 00640	
 <p>15.5 cm center to center</p>	Cow dividers 122 cm ¹⁾ Length	
	270 cm 01467	
	300 cm 01468	
	325 cm 00708	
	350 cm 00710	
	400 cm 01469	
	special length, price per meter 00705	
 <p>122 cm</p>	Cow dividers 122 cm with opening for drinking bowl ¹⁾ Length	
	270 cm 01470	
	300 cm 01471	
	325 cm 00707	
	350 cm 00709	
	400 cm 01472	
	special length, price per meter 00706	
Dividers with vertical drillings at the ends for locking bars		

¹⁾ without bolts to fasten


components



Double bucket holder



Single bucket holder



Fastener set for nipple bucket

description

ord-
No.

Mounting accessories: Gates / Dividers

Gate lock for 1,5" s0636

Support cable set for gates 1,5" s0735

Support cable set for gates 2" s0736

Calf pen

Calf pen with increased front bar (190cm) 82 cm width

Single unit 06351

Add on unit 06352

Calf pen with increased front bar (190cm) 92 cm width

Single unit 06353

Add on unit 06354

Accessories

Back wall 82 cm 02221

Back wall 92 cm 02222

Calf bucket PVC 12 L with nipple 02223

Calf bucket with nipple and flat side 02224

Fastener set for nipple bucket 03783

Calf bowl PVC, 5 L 02226

Calf bucket PVC, 12 L without nipple 02227

Double bucket holder 02228

Single bucket holder 02229

Hay rack (to set on sidewall) 02230